



Product Specification &

SAFETY DATA SHEET

CHIP / EC FORMAT 1907/2006 AMD 93/112/EC AMD 2001/58/EC

S776

DOUBLE CLEAN



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: DOUBLE CLEAN **Product Code:** S776
Manufacturer: Prochem Europe Ltd., Oakcroft Road, Chessington, Surrey KT9 1RH, UK. Telephone No (office hours only): 020 8974 1515 (UK) +44 20 8974 1515 (EC) Chemical Product Manager E, H & S
 Website: www.prochem.co.uk Email: sales@prochem.co.uk
Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the **UK National Poisons Information Service**, where our full product details are held.

Product Description & Directions For Use:

A highly concentrated, fast dissolving compound formulated for optimum performance in hot water extraction carpet cleaning equipment. Double Clean contains high quality ingredients for cleaning heavily soiled carpets, plus a special corrosion inhibitor to protect machinery. Double Clean can also be used as a booster in other cleaning solutions.

Portable extraction machines - Mix 15ml to 30ml (1 to 2 measure scoops) of S776 per 10 litres of hot water (1 to 500) in the machine solution tank.

Truck-mount units - Mix 1 kilo of S776 in 20 litres of warm water to make metering concentrate. Set flow meter at 2 to 4 GPH.

Always pretest carpet for colour fastness with ready-to-use solution before proceeding.

Pretreat heavily soiled areas with S709 Multi Pro or S710 Trafficlean according to label directions, then follow up with normal extraction cleaning procedure.

SECTION 2: HAZARDS IDENTIFICATION

Classification: Risk of serious damage to eyes. Irritating to skin.

Eye Contact: Contact with concentrate or solution may cause severe irritation to eyes and possible risk of damage.

Skin Contact: Prolonged or repeated contact with concentrate or solution may cause irritation and possible dermatitis.

Inhalation: Excessive exposure to powder concentrate dust may cause respiratory irritation. No hazard expected in diluted form.

Ingestion: Ingestion of concentrate may produce nausea and irritation due to alkalinity.

Environment: See Ecological Information for further details.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

| SUBSTANCE | RISK (See Section 16) | EINECS NO. | CAS NO. | % W/W (EC RANGE) |
|----------------------------|-------------------------------|------------|------------|------------------|
| Sodium carbonate | Xi R36 | 207-838-8 | 497-19-8 | 15 to 30% |
| EDTA | Xn R22 Xi R41 R38 | 200-573-9 | 64-02-8 | 5 to 15% |
| Disodium metasilicate | C R34 Xi R37 | 229-912-9 | 6834-92-0 | 5 to 15% |
| Sodium xylenesulphonate | Xi R36/37/38 | 215-090-9 | 1300-73-7 | Less than 5% |
| Primary alcohol ethoxylate | Xi R41 | None | 68439-45-2 | Less than 5% |
| 2-(2-ethoxyethoxy)ethanol | Xi R36 | 203-919-7 | 111-90-0 | Less than 5% |
| 2-(2-butoxyethoxy)ethanol | Xi R36 | 203-961-6 | 112-34-5 | Less than 5% |
| Fragrance (IFRA certified) | Xn R65 Xi R38 R43 N R51/53 | None | None | Less than 1% |

SECTION 4: FIRST AID MEASURES

Eye Contact: Flush immediately with water for 15 minutes, then seek medical attention.

Skin Contact: Flush skin with plenty of water. Seek medical attention if any skin irritation persists.

Inhalation: Move to fresh air and seek medical attention if irritation persists. If powder is accidentally inhaled then treat as ingestion and rinse nasal passages.

Ingestion: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. If injured party is conscious, give two glasses of water. Seek medical attention.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Product is not flammable. Use water, carbon dioxide, dry powder extinguisher, or other media appropriate for materials actually involved in fire.

Fire/Explosion Hazards: No explosion hazards.

Decomposition Products: Exposure to fire may liberate carbon dioxide, carbon monoxide, nitrogen oxides, water and other

unidentified thermal decomposition products from this product or its packaging.

Special Protective Equipment: None recommended.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Protection: Protective clothing, nitrile butyl rubber gloves, chemical splash goggles.

Containment and Disposal: Large spills should be treated with dry absorbent and disposed of at a legal waste disposal site. Small spills can be flushed with water to sewage drain linked to waste treatment facility.

SECTION 7: HANDLING AND STORAGE

Handling Precautions: Wear nitrile butyl rubber gloves and safety glasses when handling concentrate.

Storage Precautions: Avoid extremes of temperature. Keep out of reach of children. Keep in original container.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits: 10mg/m³ inhalable 4mg/m³ respirable dust EH40.

Disodium metasilicate suggested WEL-STEL 2mg/m³.
2-(2-butoxyethoxy)ethanol (IOELV) WEL-LTEL 10ppm (67.5mg/m³) WEL-STEL 15ppm (101.2mg/m³).

Environmental Controls: For additional guidance, contact ENVIROWISE at www.envirowise.gov.uk or telephone 0800 585794

Eye Protection: Side shield safety glasses are recommended when handling concentrate.

Protective Clothing: Standard work clothing and nitrile butyl rubber gloves. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturer's specifications.

Respiratory Protection: Not required in normal use.

Ventilation: Normal air circulation.

Hygiene: Wash hands and clothing after use or spill. Do not eat or drink when handling chemicals.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Colour/State: Moist Blue Powder

Odour: Lemon mint

pH Concentrate: 12 **pH Diluted:** 9.8

Boiling Point / Range °C: Not applicable

Flash Point °C: None **Method:** Not applicable

Flammability Limit %: Not applicable

Explosive Properties: Not applicable

Oxidising Properties: Not applicable

Vapour Pressure: 760mm/Hg

Relative Density (Water = 1): Not determined

Solubility: Soluble

Partition Coefficient (N-octanol / Water): Not determined

Viscosity: Not applicable

Vapour Density: Not determined

Evaporation Rate: Not determined

% Active: 100

% Solids: Not applicable

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.

Conditions to Avoid: Extremes of temperature.

Incompatibility (Materials to Avoid): Strong acids and oxidising materials.

Hazardous Decomposition Products: Exposure to fire may liberate carbon dioxide, carbon monoxide, nitrogen oxides water and other unidentified thermal decomposition products from this product or its packaging.

SECTION 11: TOXICOLOGICAL INFORMATION

Eye Contact: Contact with concentrate or solution may severe irritation and possible risk of damage.

Skin Contact: Prolonged or repeated contact may cause irritation and possible dermatitis.

Inhalation: Inhalation of mist or vapour may cause temporary respiratory irritation; temporary central nervous system effects including dizziness, weakness, fatigue, nausea and headache. Excessive exposure to dust may cause respiratory irritation.

Ingestion: Product is alkaline and may produce gastrointestinal irritation, nausea and diarrhoea.

Acute and Chronic Effects:

Acute Toxicity: LD50 4090 mg/kg (oral-rat) sodium carbonate)

LD50 >1740mg/kg (oral-rat) (EDTA)

LD50 1280mg/kg (oral-rat) (disodium metasilicate)

LD50 >2000mg/kg (oral-rat) (sodium xylenesulphonate)

LD50 >2000mg/kg (oral-rat) (primary alcohol ethoxylate)

LD50 >2000mg/kg (dermal-rabbit) (primary alcohol ethoxylate)

Corrosivity / Irritation: Skin, eye and respiratory

Sensitisation: Contains citral, limonene and linalool.

Repeated Dose Toxicity: Not established

Mutagenicity: None

Carcinogenicity: None

Teratogenicity: None

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: LC50 96h >100mg/l (fish) (EDTA)

EC50 48h >500mg/l (daphnia) (EDTA)

EC50 48h 1-10mg/l (daphnia) (primary alcohol ethoxylate)

LC50 96h 1-10mg/l (fish) (primary alcohol ethoxylate)

IC50 72h 1-10mg/l (algae) (primary alcohol ethoxylate)

EC50 48h >1000mg/l (daphnia) (2-(2-butoxyethoxy)ethanol)

LC50 24h 2700mg/l (fish) (2-(2-butoxyethoxy)ethanol)

Mobility: Soluble in water.

Persistence and Degradability: The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. The major packaging materials of polyethylene and fibreboard are recyclable.

Bioaccumulative Potential: Does not bioaccumulate.

Other Effects: None known or no relevant data available for substances in this preparation.

SECTION 13: DISPOSAL CONSIDERATIONS

Cleaning waste effluent should be disposed of in accordance with regional and national requirements. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site. Contact local Environment Agency office for waste holder requirements.

SECTION 14: TRANSPORT INFORMATION

UN No: None

Classification: Not classified as hazardous for transport

Proper Shipping Name: None

Packing Group: None

Road (ADR): None

Sea (IMDG): None

Air (ICAO / IATA): None

Rail (RID): None

SECTION 15: REGULATORY INFORMATION

Classification: Xi IRRITANT

Risk Phrases

R41 Risk of serious damage to eyes.

R38 Irritating to skin.

Safety Phrases

S2 Keep out of the reach of children.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 After contact with skin wash immediately with plenty of water.

S37/39 Wear suitable gloves and eye/face protection.

The information given has been compiled with reference to the **CHEMICALS (HAZARD INFORMATION AND PACKAGING FOR SUPPLY) REGULATIONS (CHIP 3) 2002** (as amended), the **REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS (REACH) REGULATIONS** (as amended), the **CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH REGULATIONS (COSHH) 2002** (as amended) **REGULATION (EC) NO. 648/2004 ON DETERGENTS** (as amended) and the **MANAGEMENT OF HEALTH AND SAFETY AT WORK REGULATIONS 1999** (as amended). This safety data sheet does not constitute the users own assessment of workplace risk as required by other health and safety regulations.

SECTION 16: OTHER INFORMATION

Risk Phrases: R22 Harmful if swallowed. R34 Causes burns.

R36 Irritating to eyes. R37 Irritating to respiratory system. R38

Irritating to skin. R41 Risk of serious damage to eyes. R43 May

cause sensitisation by skin contact. R51 Toxic to aquatic

organisms. R53 May cause long term adverse effects in the

aquatic environment. R65 Harmful; may cause lung damage if

swallowed.

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only.

The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.

Revisions: Replaces SDS S776 Issue / Revision Date 01/11/03
Revised Sections: 1, 2, 3, 4, 5, 8, 9, 10, 11, 12, 13, 15, 16.